



MOTOROLA
intelligence everywhere™

digitaldna™

ANALOG ICs

**INTEGRATED
SOLUTIONS**

TECHNOLOGY

WHY USE MOTOROLA'S **SMARTMOS™** PRODUCTS?

Motorola **SMARTMOS™** process is unique because it combines these features:

- NVM
- iLDMOS
- High current metal
- High voltage
- Engineered matching
- Noise immunity
- Tailored for harsh environments
- Inductive load switching and immunity to interference
- Engineered energy capability and robustness
- Good selection of devices with a wide range of features
- 105 V Capability

SMARTMOS™ is the best process for the embedded world.

While today's high density CMOS processes have vast amounts of processing power, they cannot directly interact with most real world systems. In embedded systems these real world signals still need to get to the processor and loads need to be driven. In addition, processors need to be provided clean power and protected from the harsh electrical environment found in the outside world.


ICs using **SMARTMOS™** are ideally suited to all these tasks. **SMARTMOS™** is a combinational CMOS process that integrates precision analog, power devices and logic. Embedded systems designers can eliminate dozens of components and combine all those functions into a single cost-effective IC including functions of voltage regulation, power MOSFETs, input signal conditioning, transient protection, system diagnostics and control.



SMARTMOS™ in combination with HDTMOS discrete FETs for very high currents make up Motorola's predominant process technologies which combine precision analog high voltage, high current power capabilities and high speed CMOS in a single package.

Motorola's Analog ICs using these technologies are:

- Highly Capable - Providing full flexibility of integration
- Robust - Developed for applications demanding a high level of environmental tolerance, found in automotive and industrial applications.
- Cost-Effective - Appropriately balanced analog, power and CMOS logic (**SMARTMOS™**) capabilities providing cost-effective solutions
- Innovatively Packaged - Motorola's innovative multi-die packaging options exploit strengths of both **SMARTMOS™** and HDTMOS to offer reduced cost and space.
- Constantly Improving - Motorola has supplied over 1 billion Automotive **SMARTMOS™** ICs since 1991. We are currently shipping products in our 6th technology generation.



SMARTMOS™ surrounds your delicate components with real world - capable analog / power interfaces.

Power


SMARTMOS™ is precision analog, high-speed CMOS, and high voltage power combined into a single IC process! This robust process allows for optimal integration of a wide variety of mixed signal analog features, yielding best-in-class solutions for our customers.

Power is an increasingly in demand component of a mixed signal system. Motorola's **SMARTMOS™** technology provides excellent integration capabilities for low and medium power levels. In addition our expertise in control technology allows products to be scaled for many applications. For high power systems, advances in multi-die manufacturing technology allow the cost effectiveness of power HDTMOS devices to be combined with the advanced integration and control capability of **SMARTMOS™**. These processes allow the customer to receive cost-effective, single-package solutions that decrease their system cost and time-to-market.

Motorola Analog ICs are designed to communicate with their host MCUs as well as enable network communication.

We combine these building blocks into many different ICs which fall into five broad categories:


- Power ICs
- Communication
- Power Management
- Safety/Sensors
- Special Functions



- SPI interface allows MCU to control and communicate with **SMARTMOS™** ICs
- Built-in diagnostics protect the device and communicate status to the MCU
- Physical interfaces enable the system to communicate reliably over a network
- Non-volatile memory allows setting of unique data and calibration information via the network

Communicating

Protecting




SMARTMOS™ PROTECTION FEATURES:

- Over-current detection or shutdown, with auto-retry
- Open load detection with outputs, ON or OFF
- Output current limiting
- Detection of shorts to ground or supply, with auto-retry
- Over-temperature detection or shutdown, with auto-retry
- Current and voltage waveshaping for radiated RFI reduction
- 2000 V / 200 V (human body model/machine model) ESD (all pins)
- Full diagnostics and status reporting

Most of the products in production today use the **SMARTMOS™** 3 process. Today's workhorse process for new designs is **SMARTMOS™** 5 AP built on a 0.8 micron double metal CMOS flow that can handle 60 V I/O. Devices featuring thousands of gates, voltage regulators, and multiple power FETs with on chip diagnostics are typically built with this process. In addition a 105 V extension is available for new 42 V system designs.

For devices requiring higher logic density Motorola has **SMARTMOS™** 7 LV, a 0.35 micron **SMARTMOS™** flow with 45V I/O that makes devices with 100 k gates practical. Both processes have a large variety of devices available to the designer including MOS and bipolar transistors and diodes, several flavors of MOS power devices, non-volatile memory for trim and personalization, and passive components. The next generation of both of these processes will be introduced soon which will allow even greater levels of integration and features.



Our **SMARTMOS™** integrated circuit products feature a rich set of mixed-signal building blocks including A/D and D/A converters, rail-to-rail op amps, comparators, charge pumps and gate drives, voltage regulators, precision references, digital logic, and non-volatile memory. For driving loads we have power MOSFET devices with inductive energy clamps, independent thermal management, short circuit protection, and diagnostic load sensing.

Controlling

A-D (8- & 10-Bit)

Oscillator
Crystal, Internal

9-Bit D-A
Guaranteed Monotonic

Op Amps
Rail-to-Rail

Charge Pump
Internal - External

Comparators


Switched Cap
Filters, Gain Stages

Precision References

Voltage Regulators
MCU Supplies, 5.0 V, 3.3 V, 2.6 V, Etc.

Non-Volatile Memory

Analog MOS
To 20 V or 60 V



Power MOSFETs

Inductive Energy Clamps

Independent
Thermal Management
Shutdown at $165 \pm 15^{\circ}\text{C}$

Load Sensing

- Shorted Load
- Open Load
- Pinlet Movement
- Load Resistance
- Inductance

High-Speed CMOS


Every MCU requires analog support, power supply supervisory functions, input signal conditioning (de-bounce and serial I/O support analog-to-digital conversion) and output power drivers.

SMARTMOS™ ICs excel at communicating with MCUs and networks.


SMARTMOS™ is the best IC technology to control electrical loads and to measure inputs.

SMARTMOS™ ICs protect delicate VLSI MCU and memory ICs.

SMARTMOS™ products are the ideal technology complement for MCU based systems!



The Analog Products Division of Motorola has a long history serving the commercial and automotive market-place, and a vast experience with the automotive industry's quality requirements / expectations. We achieved QS9000 certification status in July'98, and we use AEC-Q100 as the basis for our product stress test qualifications (products introduced prior to July'98, may have limited qualification or other data available). Data may be available on a fee-for-service basis.



How to reach us:

USA/EUROPE/Locations Not Listed: Motorola Literature Distribution;
P.O. Box 5405, Denver, Colorado 80217
1-303-675-2140 or 1-800-441-2447

JAPAN: Motorola Japan Ltd.; SPS, Technical Information Center,
3-20-1, Minami-Azabu, Minato-ku, Tokyo 106-8573 Japan
81-3-3440-3569

ASIA/PACIFIC: Motorola Semiconductors H.K. Ltd.; Silicon Harbour Centre,
2 Dai King Street, Tai Po Industrial Estate, Tai Po, N.T., Hong Kong
852-26668334

Technical Information Center: 1-800-521-6274

HOME PAGE: <http://www.motorola.com/semiconductors/>



MOTOROLA and the Stylized M Logo are registered in the U.S. Patent & Trademark Office.
All other product or service names are the property of their respective owners.
© Motorola, Inc. 2001

BR1567/D
Rev. 0

SUNSTAR 商斯达实业集团是集研发、生产、工程、销售、代理经销、技术咨询、信息服务等为一体的高科技企业，是专业高科技电子产品生产厂家，是具有 10 多年历史的专业电子元器件供应商，是中国最早和最大的仓储式连锁规模经营大型综合电子零部件代理分销商之一，是一家专业代理和分销世界各大品牌 IC 芯片和电子元器件的连锁经营综合性国际公司，专业经营进口、国产名厂名牌电子元件，型号、种类齐全。在香港、北京、深圳、上海、西安、成都等全国主要电子市场设有直属分公司和产品展示展销窗口门市部专卖店及代理分销商，已在全国范围内建成强大统一的供货和代理分销网络。我们专业代理经销、开发生产电子元器件、集成电路、传感器、微波光电元器件、工控机/DOC/DOM 电子盘、专用电路、单片机开发、MCU/DSP/ARM/FPGA 软件硬件、二极管、三极管、模块等，是您可靠的一站式现货配套供应商、方案提供商、部件功能模块开发配套商。商斯达实业公司拥有庞大的资料库，有数位毕业于著名高校——有中国电子工业摇篮之称的西安电子科技大学（西军电）并长期从事国防尖端科技研究的高级工程师为您精挑细选、量身订做各种高科技电子元器件，并解决各种技术问题。

更多产品请看本公司产品专用销售网站：

商斯达中国传感器科技信息网：<http://www.sensor-ic.com/>

商斯达工控安防网：<http://www.pc-ps.net/>

商斯达电子元器件网：<http://www.sunstare.com/>

商斯达微波光电产品网：[HTTP://www.rfoe.net/](http://www.rfoe.net/)

商斯达消费电子产品网：<http://www.icasic.com/>

商斯达实业科技产品网：<http://www.sunstars.cn/>

传感器销售热线：

地址：深圳市福田区福华路福庆街鸿图大厦 1602 室

电话：0755-83370250 83376489 83376549 83607652 83370251 82500323

传真：0755-83376182 (0) 13902971329 MSN: SUNS8888@hotmail.com

邮编：518033 E-mail:szss20@163.com QQ: 195847376

深圳赛格展销部：深圳华强北路赛格电子市场 2583 号 电话：0755-83665529 25059422

技术支持：0755-83394033 13501568376

欢迎索取免费详细资料、设计指南和光盘；产品凡多，未能尽录，欢迎来电查询。

北京分公司：北京海淀区知春路 132 号中发电子大厦 3097 号

TEL: 010-81159046 82615020 13501189838 FAX: 010-62543996

上海分公司：上海市北京东路 668 号上海赛格电子市场 2B35 号

TEL: 021-28311762 56703037 13701955389 FAX: 021-56703037

西安分公司：西安高新开发区 20 所(中国电子科技集团导航技术研究所)

西安劳动南路 88 号电子商城二楼 D23 号

TEL: 029-81022619 13072977981 FAX:029-88789382