Low Level Force Sensor

Type 9205

M10x1, Radial Connector, -50 ... 50 N

Quartz force sensor with high sensitivity for measuring quasistatic and dynamic tensile and compressive forces in the range of less than 1 mN to 50 N. General applications. The sensor is mounted in a bore with a M10x1 thread and the force is introduced at its front end. The sensor has a hermetically sealed housing and is well suited for laboratory and industrial applications.

- 3 calibrated measuring ranges
- Dynamic measuring range 1: 100 000
- · Highly sensitive, for forces of 1 mN and over
- For tensile and compression force
- Low sensitivity to transverse force and temperature
- High rigidity

Description

The sensor possesses a highly sensitive, transversal quartz element, which is mounted without preload. Therefore the sensor is largely insensitive to thermal influences. The force is introduced through the cylindrical front end which is supported on the housing by a diaphragm of special design. The ceramic insulated connector is hermetically sealed.

Ø 6,3 M 3 SW5,5 M 10 ×1 Ø 8,5 -0.024 SW5,5 M 3 Ø 6,3

Technical Data

F_z	N	<i>−</i> 50 50
F _z	N	-75/150
F_z	N	− 50 50
F_z	N	− 5 5
F_z	N	-0,5 0,5
F_z	N	<0,5 · 10 ⁻³
F_z	pC/N	≈–115
	%FSO	≤±1
	%FSO	≤0,5
$F_{x,y}$	N	10
$F_{x,y} \to F_z$	N/N	≤±0,05
$M_{x,y}$	N⋅m	0,25
$M_{x,y} \to F_z$	N/N·m	≤±3
M_z	N⋅m	0,15
Cz	N/µm	≈4
	F_{z} F_{z} F_{z} F_{z} F_{z} F_{z} F_{z} $M_{x,y} \rightarrow F_{z}$ $M_{x,y} \rightarrow F_{z}$ M_{z}	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

Natural frequency	kHz	>10
Acceleration sensitivity		
axial	N/g	<0,03
radial	N/g	<3 · 10 ⁻³
Operating temperature range	°C	-50 150
Temperature coefficient of sensitivity		
−50 150 °C	%/°C	≈–0,02
Insulation resistance, at 20 °C	Ω	>1013
Capacitance	pF	≈26
Connector (ceramic insulator)	KIAG 10-32 neg.	
Degree of protection (with cable connected)	EN6052	29 IP65
Case material	DIN	1.4542
Weight	g	19
Tightening torque, max.		
M10x1	N⋅m	10
M3	N⋅m	0,2

Page 1/2

This information corresponds to the current state of knowledge. Kistler reserves the right to make technical changes. Liability for consequential damage resulting from the use of Kistler products is excluded.

©2005, Kistler Instrumente AG, PO Box, Eulachstr. 22, CH-8408 Winterthur Tel +41 52 224 11 11, Fax +41 52 224 14 14, info@kistler.com, www.kistler.com

¹⁾ Force application in the plane of the cylindrical front end.



measure, analyze, innovate,

Application Examples

- Measuring contact forces on keys, buttons, switches, relays
- · Measuring spring characteristics.
- Measuring extraction forces of plug-in contacts.
- Construction of highly sensitive miniature force plates, e.g. for measurements in wind tunnels.
- · Force measurements on automatic assembly units, robots, micro-manipulators, etc.

Mounting

Two mounting methods are possible:

- Mounting in a bore with M10x1 thread and force introduction at the front end with M3 thread (see Fig. 1).
- Force introduction on the faces of both cylindrical ends with threads M3 (Fig. 2).




Fig. 1: Mounting with M10x1 thread, Fig. 2: Double sided mounting and front sided force introduction

force introduction

The force introducing cap (Fig. 3) is used for punctiform force introduction. The coupling element Type 9405 (Fig. 4) is used to reduce transverse forces and bending moments acting on the sensor.




Fig. 3: Force introducing cap Art. No. 3.220.139




Fig. 4: Coupling element Type 9405

Caution!

This force sensor is a very sensitive measuring instrument. Greatest care is compulsory when handling the sensor as no overload protection is provided.

Accessories Included		Туре	
•	Force introducing cap	3.220.139	
•	Fork wrench SW 5,5	5.210.096	

C	Optional Accessories	Туре
•	Coupling element	9405
•	Connecting cable KIAG 10-32 pos BNC po	S.
	Length 1 m	1631C1
	Length 2 m	1631C2
	Length 5 m	1631C5
	Length 10 m	1631C10

(see also data sheet cables for force, torque and strain sensors 1631C_000-346)

Ordering Key Type 9205 • Low Level Force Sensor M10x1, Radial Connector, -50 ... 50 N

Page 2/2